

SECTION 1—PRODUCT IDENTIFICATION

| | | |
|----------------------------------|------------------|-------------------|
| PRODUCT NAME(S) | | CATALOG NUMBER(S) |
| Aerospray® Stain Residue Solvent | | SS-230 |
| CHEMICAL NAME & SYNONYMS | CHEMICAL FAMILY | |
| N/E | Solvents | |
| TRADE NAME & SYNONYMS | CHEMICAL FORMULA | |
| Wescor SS-230 | N/E | |

SECTION 2—COMPOSITION OF HAZARDOUS INGREDIENTS

| HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES | CAS # | % | TLV—TWA |
|---|---------|-------|---------|
| Dimethyl sulfoxide | 67-68-5 | 60-90 | N/A |


SECTION 3—HAZARDOUS IDENTIFICATION

| | |
|--|--|
| APPEARANCE | |
| Clear liquid | |
| LABEL PRECAUTIONS | |
| S: 24/25-36/37 Combustible. Readily absorbed through skin. Avoid contact with skin and eyes. Wear suitable protective clothing and gloves. CAUTION: DO NOT RUN SS-230 THROUGH THE STAINER. | |
| EFFECTS OF OVEREXPOSURE | |
| Eye Contact | Causes irritation, redness, and pain. May cause blurred vision. |
| Skin Contact | Causes irritation to skin. Symptoms include redness, itching, and pain. May cause scaling. Readily absorbed through the skin. Garlic-like taste and odor may develop on the breath and skin. Transient disturbances of color vision, photophobia, headache, diarrhea, and dermatitis may result from skin applications. A good solvent; may result in the increased skin absorption of other more toxic materials. |
| Ingestion | Causes irritation to the gastrointestinal tract. Symptoms may include nausea, vomiting and diarrhea. May cause abdominal pain, drowsiness, chills and chest pains. |
| Inhalation | Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath. May cause allergic reaction in sensitive individuals. |
| Chronic Exposure | Absorption may affect the blood. Repeated skin application may cause scaling dermatitis. Repeated oral doses may affect the liver and kidneys. |

SECTION 4—EMERGENCY AND FIRST AID PROCEDURES

| | |
|---------------------|---|
| IN CASE OF | |
| Eye Contact | Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Consult a physician. |
| Skin Contact | Wash skin thoroughly with soap and water. Consult a physician if irritation persists. |
| Ingestion | Induce vomiting immediately. Get medical attention. |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. |

SECTION 5—FIRE AND EXPLOSION INFORMATION

| | | |
|---|-----------------------|---|
| FLASH POINT (METHOD) | FLAMMABLE LIMIT—LEL % | FLAMMABLE LIMIT—UEL % |
| > 189 °F; 89 °C | N/E | N/E |
| EXTINGUISHING MEDIA | | |
| Dry chemical, foam or carbon dioxide. | | |
| SPECIAL FIRE FIGHTING PROCEDURES, UNUSUAL FIRE AND EXPLOSION HAZARDS | | NFPA HAZARD RATINGS |
| Above flash point, vapor-air mixtures are explosive within flammable limits. Sealed containers may rupture when heated. Sensitive to static discharge. In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Vapors can flow along surfaces to distant ignition source and flash back. | |  |

SECTION 6—ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS LEAKED OR SPILLED

Ventilate area of leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer!

SECTION 7—STORAGE AND HANDLING

| | |
|--|--------------------|
| STORAGE ENVIRONMENT | AVERAGE SHELF LIFE |
| Store in a cool, dry, ventilated area away from sources of heat or ignition. | 24 months |
| SPECIAL SENSITIVITY (HEAT, LIGHT, MOISTURE) | |
| High temperature, sources of ignition | |
| PRECAUTIONS TO BE TAKEN | |
| Keep in a tightly closed container. Store separately from reactive or combustible materials, and out of direct sunlight. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. | |

SECTION 8—SPECIAL PROTECTION

| | | | |
|---------------------------------------|-------------------------|----------------------|----------------|
| RESPIRATOR TYPE | EYE PROTECTION | GLOVES | |
| NIOSH approved | Chemical safety goggles | Impervious gloves | |
| VENTILATION | | | |
| MECHANICAL (GENERAL ROOM VENT) | X | LOCAL EXHAUST | SPECIAL |
| OTHER PROTECTIVE EQUIPMENT | | | |
| Eye wash and quick drench facilities | | | |

SECTION 9—PHYSICAL PROPERTIES

| | | |
|---------------------------|-------------------------|-----------------------|
| FORM (SOLID, LIQUID, GAS) | ODOR | COLOR |
| Liquid | Garlicky | Clear, colorless |
| BOILING POINT | FREEZING POINT | SOLUBILITY (IN WATER) |
| N/E | N/E | Miscible |
| VAPOR PRESSURE (mmHg) | VAPOR DENSITY (AIR = 1) | % VOLATILE BY VOLUME |
| N/E | N/E | N/E |
| pH | SPECIFIC GRAVITY | SOLUBILITY |
| N/E | N/E | N/E |

SECTION 10—REACTIVITY DATA

| | |
|---|---|
| STABILITY | CONDITIONS TO AVOID |
| Stable under ordinary conditions of use and storage. Hygroscopic. | Heat, flames, ignition sources and incompatibles. |
| HAZARDOUS POLYMERIZATION | CONDITIONS TO AVOID |
| Will not occur | N/A |
| INCOMPATIBILITY (MATERIALS TO AVOID) | |
| Strong oxidants, acylhalides, arylhalides, bromobenzoyl acetanilide, magnesium perchlorate, perchloric acid and sodium hydroxide. | |
| HAZARDOUS DECOMPOSITION PRODUCTS | |
| This substance is 60–90% dimethyl sulfoxide. Dimethyl sulfoxide data: Upon heating above 100C (212F), sulfur dioxide is evolved from this substance. Hazardous thermo-oxidative degradation products from DMSO include formaldehyde, methyl mercaptan and sulfur dioxide. | |

SECTION 11—TOXICOLOGICAL INFORMATION

ACUTE, SUBCHRONIC, OR SPECIAL STUDIES

N/E

SECTION 12—ECOLOGICAL INFORMATION

ECOTOXICITY, ENVIRONMENTAL FATE

N/E

SECTION 13—DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS

Dispose of this substance in accordance federal, state, and local regulations.

SECTION 14—TRANSPORT INFORMATION

DOT DESCRIPTION, HAZARD CLASS

DOT

Proper shipping name: None
Hazard class: None
Packing Group: None
UN#: None

IATA

Proper shipping name: None
Hazard class: None
Packing Group: None
UN#: None

SECTION 15—REGULATORY INFORMATION

REVIEWS, STANDARDS, AND REGULATIONS

OSHA (US)

Signal word: Combustible. Readily absorbed through skin
Hazard classification: N/A
OSHA Specific Standard: N/A
Target Organs: eyes, skin

US (other)

NFPA: health=0, flammability=2, reactivity=1, other=N/A

EU

Symbol of danger: N/A
R phrases: N/A
S phrases: 24/25-36/37

Canada

This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.
DSL: Yes
NDSL: No

SECTION 16—OTHER INFORMATION

N/E = NOT ESTABLISHED N/A = NOT APPLICABLE

The information in this MSDS was obtained from sources that we believe are reliable. However, the information is provided without any representation or warranty, express or implied, regarding its accuracy or correctness.

The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. For these and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use, or disposal of the product.